Safety Data Sheet

C 150



SDS Revision: Version 2.1 SDS Revision Date: 6/10/21

1. Identification

1.1. Product identifier

Product Identity C 150
Alternate Names C 150

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name STABOND CORPORATION

1722 W. 139th Street, GARDENA CA. 90249

Customer Service: STABOND CORPORATION (310) 380-6168 Mon. to Fri. 07:00 – 15:30 PT

Emergency Contact: CHEMTREC (800) 424-9300 24-hour

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Flam. Liq. 2;H225 Highly Flammable liquid and vapor. Eye Dam. 2A;H319 Causes serious eye irritation.

Repr. 2;H361D Suspected of damaging the unborn child. STOT SE 3;H336 May cause drowsiness or dizziness.

Aquatic Chronic 3;H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements



H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

H361d Suspected of damaging the unborn child.

H412 Harmful to aquatic life with long lasting effects.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, face protection.

[Response]:

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice or attention.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P337+313 If eye irritation persists: Get medical advice or attention.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P403+235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

[Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Acetone CAS Number: 0000067-64-1	50 - 75	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336	
2-Propenenitrile, polymer with 1,3-butadiene CAS Number: 0009003-18-3	10 - 25	Not Classified	
Chlorinated paraffin CAS Number: 0063449-39-8	5 - 10	Not Classified	
FORMALDEHYDE, POLYMER WITH 4-(1,1- DIMETHYLETHYL)PH CAS Number: 0025085-50-1	5 - 10	Not Classified	
Formaldehyde, polymer with ammonia CAS Number: 0055185-45-0	1 - 5	Not Classified	
Salicylic acid CAS Number: 0000069-72-7	1 - 5	Acute Tox. 4;H302 Eye Dam. 1;H318 Repr. 2;H361D	
Zinc oxide CAS Number: 0001314-13-2	1 - 5	Aquatic Acute 1;H400 Aquatic Chronic 1;H410	

p-tert-Butyl phenol CAS Number: 0000098-54-4	0.10 - 1.0	Skin Irrit. 2;H315 Eve Dam. 1:H318	
OAS Rumber. 0000030-54-4		Aquatic Chronic 1;H410 Repr. 2;H361F	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. If

vomiting should occur spontaneously keep victims head below knees to prevent aspiration

into the lungs.

4.2. Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

Treat symptomatically. Check section 2.2 (GHS Label Elements) for further details.

Inhalation May cause drowsiness or dizziness.

Eyes Causes serious eye irritation.

Chronic effects Moderate CNS depression may be shown by giddiness, headache, dizziness and nausea.

If vomiting occurs, keep head below hips to prevent aspiration of liquid into lungs, which can cause severe lung damage. Aspiration pneumonitis may be evidenced by coughing

and cyanosis.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

onounable oxingularing module. Do not doe, water jot.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Burning may produce fumes of carbon dioxide, carbon monoxide, hydrogen cyanide, phenols and nitrous oxides.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep container tightly closed.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

^{*}PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust, fume, gas, mist, vapors, spray.

5.3. Advice for fire-fighters

Volatile solvent constituent can readily form explosive or flammable mixtures in air. Vapors can flow along surfaces to distant ignition sources and flash back.

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water ways.

ERG Guide No. 127

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove sources of ignition, do not turn lights or unprotected electrical equipment on or off. In case of a major spill or spillage in a confined space evacuate the area and check that solvent vapor levels are below the Lower Explosive Limit before re-entering.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Soak up wet material on a non-combustible absorbent and place in a closed metal container.

Section 7. Handling and storage

7.1. Precautions for safe handling

Ground and bond metal containers when dispensing. Not smoking in areas of use or stroage. Use only non-sparking tools near wet adhesive or solvent vapors. Solvent vapor is much heavier than air and can collect in dangerous concentrations in floor drains or low areas.

Store in cool, well ventilated area away from any ignition sources and strong oxidizing agents. Keep containers tightly closed when not in use. Do not transfer to plastic containers.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents can cause spontaneous combustion.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000067-64-1	Acetone	OSHA	TWA 1000 ppm (2400 mg/m3) STEL 2400 mg/m3
		ACGIH	TWA: 500 ppm STEL: 750 ppm
		NIOSH	250 ppm (590 mg/m3) TWA
0000069-72-7	Salicylic acid	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0000098-54-4	p-tert-Butyl phenol	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0001314-13-2	Zinc oxide	OSHA	TWA 5 mg/m3 (fume) TWA 15 mg/m3 (total dust) TWA 5 mg/m3 (resp dust)
		ACGIH	TWA: 2 mg/m3 STEL: 10 mg/m3
		NIOSH	No Established Limit
0009003-18-3	2-Propenenitrile, polymer with 1,3-butadiene	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0025085-50-1	FORMALDEHYDE, POLYMER WITH 4- (1,1-DIMETHYLETHYL)PH	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0055185-45-0	Formaldehyde, polymer with ammonia	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0063449-39-8	Chlorinated paraffin	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

8.2. Exposure controls

Respiratory Atmospheric levels should be maintained below the exposure guideline. Use an approved,

full-face, supplied air respirator or a NIOSH approved positive pressure, self-contained

breathing apparatus if these levels are exceeded.

Eyes Wear safety glasses with side shields to protect the eyes. An eye wash station is

suggested as a good workplace practice.

Skin Overalls which cover the body, arms and legs should be worn. Skin should not be exposed.

All parts of the body should be washed after contact. Use neoprene, vinyl or natural rubber

gloves.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Eye wash fountain or bottles. Solvent insoluble barrier hand cream. Use good personal

hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly

remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Color: medium viscosity syrup Physical State: Liquid

Odor Acetone

Odor thresholdNot determinedpHNot MeasuredMelting point / freezing pointNot Measured

Initial boiling point and boiling range 133 F
Flash Point -4 F

Evaporation rate (Ether = 1) Slower than ether Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 2.2%

Vapor pressure (Pa)

Upper Explosive Limit: 13.0%

Not Measured

Vapor DensityHeavier than airRelative Density0.9 (H2O=1)

Solubility in Water Nil

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Decomposition temperature

Viscosity (cSt)

Not Measured

Not Measured

Not Measured

VOC Content NA
Method Used TCC

9.2. Other information

No other relevant information.

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Keep away from all sources of ignition or heat.

10.5. Incompatible materials

Strong oxidizing agents can cause spontaneous combustion.

10.6. Hazardous decomposition products

Burning may produce fumes of carbon dioxide, carbon monoxide, hydrogen cyanide, phenols and nitrous oxides.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Acetone - (67-64-1)	5,800.00, Rat - Category: NA	7,426.00, Rabbit - Category: NA	76.00, Rat - Category: NA	50.10, Rat - Category: NA	No data available
2-Propenenitrile, polymer with 1,3-butadiene - (9003-18-3)	No data available	No data available	No data available	No data available	No data available
Chlorinated paraffin - (63449-39-8)	11,700.00, Rat - Category: NA	No data available	No data available	No data available	No data available
FORMALDEHYDE, POLYMER WITH 4-(1,1- DIMETHYLETHYL)PH - (25085-50-1)	No data available	No data available	No data available	No data available	No data available
Formaldehyde, polymer with ammonia - (55185-45-0)	No data available	No data available	No data available	No data available	No data available
Salicylic acid - (69-72-7)	891.00, Rat - Category: 4	10,000.00, Rabbit - Category: NA	No data available	No data available	No data available
Zinc oxide - (1314-13-2)	> 5,000.00, Rat - Category: NA	No data available	No data available	5.70, Rat - Category: 5	No data available
p-tert-Butyl phenol - (98-54-4)	4,000.00, Rat - Category: 5	1,580.00, Mammal - Category: 4	No data available	5.60, Rat - Category: NA	No data available

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000067-64-1	Acetone	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	A4
0000069-72-7	Salicylic acid	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0000098-54-4	p-tert-Butyl phenol	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0001314-13-2	Zinc oxide	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;

Name: (C 1	150
---------	-----	-----

		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;					
		ACGIH	No Established Limit					
0009003-18-3	2-Propenenitrile, polymer with 1,3-butadiene	OSHA	Regulated Ca	Regulated Carcinogen: No;				
		NTP	Known: No; Suspected: No;					
		IARC	Group 1: No;	Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH	No Establishe					
0025085-50-1	FORMALDEHYDE, POLYMER WITH 4-(1,1-DIMETHYLETHYL)PH	OSHA	Regulated Carcinogen: No;					
	VVIIII 4-(1,1-DIMETITILETTILE)I 11	NTP	Known: No; Suspected: No;					
		IARC	-	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH		No Established Limit				
0055185-45-0	Formaldehyde, polymer with ammonia	OSHA		arcinogen: No;				
		NTP	-	Suspected: No;				
		IARC		Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
0000440 20 0	ACGIH No Established							
0063449-39-8	Chlorinated paraffin	OSHA NTP		Regulated Carcinogen: No;				
		IARC	Known: No; Suspected: Yes;					
			Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No; No Established Limit					
Classification		Ca		Hazard Description				
Acute toxicity (oral)				Not Applicable				
Acute toxicity	y (dermal)			Not Applicable				
Acute toxicity	y (inhalation)			Not Applicable				
Skin corrosic	on/irritation			Not Applicable				
Serious eye	damage/irritation	2A		Causes serious eye irritation.				
Respiratory s	sensitization			Not Applicable				
Skin sensitiz	ation			Not Applicable				
Germ cell mutagenicity				Not Applicable				
Carcinogenicity				Not Applicable				
Reproductive toxicity		2		Suspected of damaging the unborn child.				
STOT-single exposure		3		May cause drowsiness or dizziness.				
STOT-repeated exposure				Not Applicable				
Aspiration hazard				Not Applicable				

Section 12. Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Acetone - (67-64-1)	8,120.00, Pimephales promelas	8,800.00, Daphnia pulex	7,000.00 (96 hr), Pseudokirchneriella subcapitata
2-Propenenitrile, polymer with 1,3-butadiene - (9003-18-3)	Not Available	Not Available	Not Available
Chlorinated paraffin - (63449-39-8)	300.00, Lepomis macrochirus	102.00, Daphnia magna	Not Available
FORMALDEHYDE, POLYMER WITH 4-(1,1- DIMETHYLETHYL)PH - (25085-50-1)	Not Available	Not Available	Not Available
Formaldehyde, polymer with ammonia - (55185-45-0)	Not Available	Not Available	Not Available
Salicylic acid - (69-72-7)	90.00, Leuciscus idus	105.00, Daphnia magna	Not available
Zinc oxide - (1314-13-2)	Not Available	101.00, Daphnia magna	Not Available
p-tert-Butyl phenol - (98-54-4)	5.14, Pimephales promelas	3.90, Daphnia magna	Not available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA **Transportation**) Transportation) 14.1. UN number UN1133 UN1133 UN1133 14.2. UN proper UN1133, Adhesives, containing a Adhesives, containing a Adhesives, containing a shipping name flammable liquid, 3, II flammable liquid flammable liquid

14.3. Transport
hazard class(es)DOT Hazard Class: 3
Sub Class: Not ApplicableIMDG: 3
Sub Class: Not ApplicableAir Class: 3
Sub Class: Not ApplicableAir Class: 3
Sub Class: Not ApplicableSub Class: Not Applicable

II II

14.4. Packing group

14.5. Environmental hazards

IMDG Marine Pollutant: No;

14.6. Special precautions for user

Not Applicable

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory

EPCRA 302 Extremely Hazardous:

Cresol

Phenol

EPCRA 313 Toxic Chemicals:

Zinc oxide

Proposition 65 - Carcinogens (>0.0%):

1,3 Butadiene

4-Vinylcyclohexene

Benzene

Cadmium

Formaldehyde

Lead

Propenenitrile

Proposition 65 - Developmental Toxins (>0.0%):

1,3 Butadiene

Benzene

Lead

Proposition 65 - Female Repro Toxins (>0.0%):

1,3 Butadiene

4-Vinylcyclohexene

Lead

Proposition 65 - Male Repro Toxins (>0.0%):

1,3 Butadiene

Benzene

Cadmium

Lead

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [1,3 Butadiene, 4-Vinylcyclohexene, Benzene, Cadmium, Formaldehyde, Lead, Propenenitrile], which are known to the State of California to cause cancer, and [1,3 Butadiene, 4-Vinylcyclohexene, Benzene, Cadmium, Lead], which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Section 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

SDS Revision History

Version 1.1	Initial SDS issued	12/19/2014
Version 1.2	Sections 3, 8.1, 11, 12 corrections	5/27/2015
Version 1.3	Section 1.3 Change to Emergency Tele. Number	6/17/2015
Version 1.4	Sections 3, 8.1, 11, 12.1 Polymer name correction	3/09/2016
Version 1.5	Section 1.3 Update to Emergency Tele. Number	11/20/2018
Version 2.1	SDS revised and reissued	6/10/2021

ALL INFORMATION IS BASED UPON DATA FROM MFG'S AND/OR TECHNICAL SOURCE, & IS BELIEVED TO BE ACCURATE. CONDITIONS OF USE ARE BEYOND OUR CONTROL & THEREFORE USERS ARE RESPONSIBLE TO VERIFY THIS DATA UNDER THEIR OWN CONDITIONS TO DETERMINE SUITABILITY FOR THEIR PURPOSE, & THEY ASSUME ALL RISKS OF USE, HANDLING, & DISPOSAL, OR FROM USE OF INFORMATION CONTAINED HEREIN. THIS INFORMATION RELATES ONLY TO THE PRODUCT DESIGNATED HEREIN, AND DOES NOT RELATE TO ITS USE IN COMBINATION WITH OTHER MATERIAL OR IN ANY OTHER PROCESS.

End of Document