Safety Data Sheet U 360



SDS Revision: Version 1.3 SDS Revision Date: 12/27/2018

1. Identification					
1.1. Product identifier					
Product Identity	U 360				
Alternate Names	U 360				
1.2. Relevant identified uses of the substance or mixture and uses advised against					
Intended use	See Technical Data Sheet.				
Application Method	See Technical Data Sheet.				
1.3. Details of the supplier of the safety data sheet					
Company Name	STABOND CORPORATION 1722 W. 139th Street, GARDENA CA. 90249				
Customer Service: STABOND CORPORATION Emergency Contact: CHEMTREC	(310) 380-6168 Mon. to Fri. 07:00 – 15:30 PT (800) 424-9300 24-hour				

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Acute Tox. 4;H332	Harmful if inhaled.
Skin Irrit. 2;H315	Causes skin irritation.
Eye Irrit. 2;H319	Causes serious eye irritation.
Skin Sens. 1;H317	May cause an allergic skin reaction.
Resp. Sens. 1;H334	May cause allergy or asthma symptoms of breathing difficulties if inhaled.
Carc. 2;H351	Suspected of causing cancer.
STOT SE 3;H335	May cause respiratory irritation.
STOT RE 2;H373	May cause damage to organs through prolonged or repeated exposure. Specific Target Organs: (Not Available)

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergic or asthmatic symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P314 Get Medical advice / attention if you feel unwell.

P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P341 If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P342+311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor / physician.

P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse.

[Storage]:

P403+233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Diphenylmethane diisocyanate, mixed isomers CAS Number: 0026447-40-5	10 - 25	Carc. 2;H351 Acute tox. 4;H332 STOT RE 2;H373 Eye Irrit. 2;H319 STOT SE 3;H335 Skin Irrit. 2;H315 Resp. Sens. 1;H334 Skin Sens. 1;H317	[1]

Diphenylmethanediisocyanate CAS Number: 0000101-68-8	10 - 25	Carc. 2;H351 Acute tox. 4;H332 STOT RE 2;H373 Eye Irrit. 2;H319 STOT SE 3;H335 Skin Irrit. 2;H315 Resp. Sens. 1;H334 Skin Sens. 1;H317	[1][2]	
---	---------	---	--------	--

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance. *The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first	aid measures	
General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.	
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.	
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.	
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.	
Ingestion	Do NOT induce vomiting. If vomiting occurs lower head below knees to avoid aspiration into the lungs. Seek immediate medical attention.	
4.2. Most important sym	ptoms and effects, both acute and delayed	
Overview	INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Vapor and aerosols can irritate eyes, nose and respiratory passages. Severe overexposure can cause fluid buildup in lungs. MDI vapor can cause respiratory sensitization with asthma-like symptoms.	
	SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE: SKIN-skin sensitization and irritation may develop after repeated and/or prolonged contact with human skin. EYES-Contact will irritate human eyes.	
	SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Skin contact may play a role in respiratory sensitization. Gloves should be worn at all times when working with this product.	
	INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Irritation of the mouth, pharynx, esophagus and stomach can develop following ingestion. Aspiration hazard – may enter lungs during swallowing or vomiting and cause lung damage. May cause signs of CNS depression such as dizziness, drowsiness etc.	
	HEALTH HAZARDS (ACUTE AND CHRONIC): Eye: May cause irritation with tearing. Skin: May cause skin irritation, temporary stain & allergic sensitivity.	

Ingestion: May cause irritation and corrosion on the mouth and stomach tissue. Inhalation: May cause irritation to upper respiratory tract and lungs, breathlessness, cough, respiratory sensitization.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: May aggravate existing lung and skin problems.

See section 2 for further details.InhalationHarmful if inhaled. May cause allergy or asthma symptoms of breathing difficulties if
inhaled.EyesCauses serious eye irritation.SkinMay cause an allergic skin reaction. Causes skin irritation.

5. Fire-fighting measures

5.1. Extinguishing media

Dry chemical, foam or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Isocyanate vapor and mist, CO2, CO, NO, trace of hydrogen cyanide. Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Down-wind personnel must be evacuated. Do not reseal contaminated containers as pressure build-up may rupture them.

Water contamination will produce Carbon dioxide. If exposed to intense heat or fire, cool with gross amounts of water. Firefighters must wear positive pressure self-contained breathing apparatus and full protective clothing to protect against isocyanate vapors. If water is used, use large amounts, as water will react vigorously with the hot material.

ERG Guide No. 171

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Major: Evacuate and ventilate spill area. Prevent entry into water system. Wear full protective equipment. Minor: Absorb with inert absorbent material.

7. Handling and storage

7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Precautions should be taken to minimize exposure to atmospheric humidity or water as carbon dioxide may be formed which, in closed containers can result in pressurization. Care should be taken when re-opening partly used containers.

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.

Examination of lung function should be carried out on a regular basis on persons applying this preparation.

Incompatible materials: Water, acid, base, alcohols, metal compounds, surface active materials.

Store indoors at 50-90 deg F. in original, unopened containers. Protect from atmospheric moisture. Replace outage with inert dry gas as nitrogen.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000101-68-8	Diphenylmethanediisocyanate	OSHA	C 0.2 mg/m3 (0.02 ppm)
		ACGIH	TWA: 0.005 ppm Ceiling: 0.01 ppmSkin, S
		NIOSH	TWA 0.05 mg/m3 (0.005 ppm) C 0.2 mg/m3 (0.020 ppm) [10- minute]
		Supplier	No Established Limit
0026447-40-5	Diphenylmethane diisocyanate, mixed	OSHA	No Established Limit
	isomers	ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000101-68-8	Diphenylmethanediisocyanate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
0026447-40-5	Diphenylmethane diisocyanate,	OSHA	Select Carcinogen: No
	mixed isomers	NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls	
Respiratory	If workers are exposed to concentrations above the exposure-limit they must use the appropriate, certified respirators.
Eyes	Use safety glasses with side shields or chemical goggles. If exposure causes eye discomfort, use a full-face respirator.
Skin	Selection of specific items such as gloves, boots, apron, or full-body suit will depend on operation. Use Neoprene, vinyl or nitrile rubber gloves.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Remove contaminated clothing. Wash skin and launder clothing before use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance	Translucent Liquid
Odor	Not Measured
Odor threshold	Not Measured
рН	Not Measured
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	Decomposes @ 646F
Flash Point	> 350 Deg F (COC)
Evaporation rate (Ether = 1)	Slower than ether
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured
	Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	Not Measured
Vapor Density	Heavier than air
Specific Crowity	
Specific Gravity	1.0
Solubility in Water	1.0 Nil, reacts with water
Solubility in Water	Nil, reacts with water
Solubility in Water Partition coefficient n-octanol/water (Log Kow)	Nil, reacts with water Not Measured
Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature	Nil, reacts with water Not Measured Not Measured
Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature	Nil, reacts with water Not Measured Not Measured Not Measured
Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature Viscosity (cSt)	Nil, reacts with water Not Measured Not Measured Not Measured Not Measured
Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature Viscosity (cSt) VOC Content	Nil, reacts with water Not Measured Not Measured Not Measured Not Measured

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization: MAY OCCUR

In presence of strong bases, water or temp. over 160° C. Water contamination gives off CO2, & may rupture containers.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Elevated temperatures, or contamination by incompatible materials.

10.5. Incompatible materials

Water, acid, base, alcohols, metal compounds, surface active materials.

10.6. Hazardous decomposition products

Isocyanate vapor and mist, CO2, CO, NO, trace of hydrogen cyanide.

11. Toxicological information

Acute toxicity

Based on the properties of the isocyanate content of this product, respiratory exposure may cause acute irritation and/or sensitization of the respiratory system resulting in asthmatic symptoms, wheezing and a tightness of the chest. Sensitized persons may subsequently show asthmatic symptoms when exposed to airborne concentrations of isocyanates well below the occupational exposure limit. Repeated exposure may lead to permanent respiratory disability.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Diphenylmethane diisocyanate, mixed isomers - (26447- 40-5)	6,400.00, Rat - Category: NA	6,200.00, Rabbit - Category: NA	No data available	No data available	No data available
Diphenylmethanediisocyanate - (101-68-8)	4,700.00, Rat - Category: 5	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)	4	Harmful if inhaled.
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.

Respiratory sensitization	1	May cause allergy or asthma symptoms of breathing difficulties if inhaled.
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity		Not Applicable
Carcinogenicity	2	Suspected of causing cancer.
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure	2	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard		Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Diphenylmethane diisocyanate, mixed isomers - (26447- 40-5)	Not Available	1,000.00, Daphnia magna	4,300.00 (72 hr), Chlorella vulgaris
Diphenylmethanediisocyanate - (101-68-8)	Not Available	129.70, Daphnia magna	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

Note: Single containers less than 5000 lbs. are not DOT regulated.

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA		
14.1. UN number	UN3082	UN3082	UN3082		
14.2. UN proper shipping name 14.3. Transport	UN3082, Environmentally hazardous substances, liquid, n.o.s., (Methylene Diphenyl Diisocyanate), 9, III DOT Hazard Class: 9	Environmentally hazardous substances, liquid, n.o.s., (Methylene Diphenyl Diisocyanate) IMDG: 9 Sub Class: Not Applicable	Environmentally hazardous substances, liquid, n.o.s., (Methylene Diphenyl Diisocyanate) Air Class: 9		
hazard class(es)					
14.4. Packing group	III	Ш	111		
14.5. Environmental hazards					
IMDG 14.6. Special p	Marine Pollutant: No precautions for user No further information				

15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
Toxic Substance	All components of this material are either listed or exempt from listing on the TSCA
Control Act (TSCA)	Inventory.
WHMIS Classification	D2A

US EPA Tier II Hazards

Fire: No Sudden Release of Pressure: No Reactive: No Immediate (Acute): Yes Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs (lbs):

Diphenylmethanediisocyanate (5,000.00)

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Diphenylmethanediisocyanate

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Diphenylmethanediisocyanate

Pennsylvania RTK Substances (>1%):

Diphenylmethanediisocyanate

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergic or asthmatic symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

SDS Revision History

Version 1.1	Initial SDS issued	4/14/2015
Version 1.2	Section 1.3 Change to Emergency Tele. Number	6/17/2015
Version 1.3	Section 1.3 Update to Emergency Tele. Number	12/27/2018

ALL INFORMATION IS BASED UPON DATA FROM MFG'S AND/OR TECHNICAL SOURCE, & IS BELIEVED TO BE ACCURATE. CONDITIONS OF USE ARE BEYOND OUR CONTROL & THEREFORE USERS ARE RESPONSIBLE TO VERIFY THIS DATA UNDER THEIR OWN CONDITIONS TO DETERMINE SUITABILITY FOR THEIR PURPOSE, & THEY ASSUME ALL RISKS OF USE, HANDLING, & DISPOSAL, OR FROM USE OF INFORMATION CONTAINED HEREIN. THIS INFORMATION RELATES ONLY TO THE PRODUCT DESIGNATED HEREIN, AND DOES NOT RELATE TO ITS USE IN COMBINATION WITH OTHER MATERIAL OR IN ANY OTHER PROCESS.

End of Document